



IT geo eagle system **Geo datalogger**

The TempTale® GEO Eagle datalogger is a new system to erase hidden information about your shipment when travelling. It is a cost-effective, real-time, temperature monitor that transmits time, temperature, and location data back to the shipper. Easy to integrate into any shipment protocol, you only have to initiate a shipment, start the monitor, position it inside the load, and forget it actionable data is automatically transmitted to email or text messaging, or just a serial number entry away. And then, you can : save in-transit loads, understand route performance, reduce rejected loads and product loss.

KEY FEATURES AND BENEFITS

- Simple activation, easily integrates into shipper's protocol
- Tactile button initiation gives clear LED direction for monitor status
- Light sensor for evidence of door opening, and possible temperature compromise
- Supports temperature accuracy to +/- 0.5°C
- Simply initiate a shipment, start the monitor, place it on a load, and view shipment condition via serial number look-up
- 90 day battery shelf life supports localized inventory management
- · No-worry returns : recycling encouraged, yet no penalties for unreturned monitors

 Track shipments via SensiWatch Tracks, a newly created web-based portal designed to enable viewing shipment data privately or publicly through serial number view. Shipment originators determine who sees what

 Trip details viewed via map display that includes detailed temperature data

TempTale.GEO Eagle

ERROR INDICATION

BLINKING = ERBOR DO NOT USE UNIT

STATUS .

NOT STARTED

BLINKS/STATUS

STOPPED

information & contact

Mail: contact@bjservicesisolation.com Tél: 00 (33) 235 411 002 43 rue des Drapiers 76600 Le Havre, FRANCE



www.isolationconteneurs.com

TT geo eagle system Geo datalogger

TT GEO EAGLE SYSTEM SPECIFICATIO	NS				
Sensor Types	Temperature, Light				
Temperature Range for Storage	-20°C to +55°C (-4°F to +131°F)				
Temperature Measurement Range	-20°C to +55°C (-4°F to +131°F)				
Environmental Rating	IP64				
Temperature Accuracy Range	NIST [®] traceable: $\pm 1.0^{\circ}$ C from -20°C to -10°C (-4°F to +14°F) $\pm 0.5^{\circ}$ C from -10°C to +45°C (+14°F to +113°F) $\pm 1.0^{\circ}$ C from +45°C to +55°C (+113°F to +131°F)				
Temperature Resolution	0.1°				
Light Sensor	0-400 lux				
Temperature Measurement Responsiveness	Meets the requirements of USP 1118 and EN12830				
Start Up Delay	Optional 5 minutes to 12 hours, in 5 minute intervals				
Cellular Communications	Global Quad-band GSM (850, 900, 1800, 1900 MHz), GPRS data				
Location Method	Cellular-based location				
Data Logger Memory Type	Non-volatile EEPROM				
Battery Type	High Capacity Internal Lithium Battery; Shelf Life: 90 days				
Battery Life/Reporting Interval	15 minute reporting interval: Operating duration 7 days continuous 30 minute reporting interval: Operating duration 17 days continuous 60 minute reporting interval: Operating duration 26 days continuous				
Temperature Sampling Interval	Variable from 5 minutes to 2 hours; factory configurable				
Housing	UL 94-V0 flame retardant plastic				
Dimensions	101 mm x 65 mm x 29 mm				
Weight	280 gr (10 oz)				
Certifications	FCC; CE; RoHS; WEEE; IEC standard EN61000-4-2 Level 4 EN61000-6-3:2007+A1:2011; EN61000-6-1:2007+A1:2007 RTCA/DO-160: Section 20 – RF Susceptibility (Radiated) – Category S and Section 21 Emissions of RF (Radiated) – Category M and H.				
Device Interface	STATUS and START push buttons; STATUS and ERROR LEDs				
Real-Time Software Interface	Web based portal: SensiWatchTM Tracks 3.4 Email notifications				





												1.0.1.14	-
ė.	-	=	-	-	-		-		-		-	train terms from	
	P	-			-	-			and the second				6
	10	(manual)				- Anna and a	Hanny Hard IL.	(managed)	- inclusion				6
	10	-	-	-	1 Indeas 1	(married	and the second	-	- skilling		0.000		6
		-	and the second	-	(Instation)	margett.	Arguna 1		Sector 1				6
	÷	-	And and	-	- 14	TRADE OF T	monte	-	- and the second	and a state			0000
	b	-	total.	-	-	invalue into the	deserved .	burners and	Tanks.	1000			- 6
		-	interest of	-	marrow .	-main fr	Annual V		official a	taria ana	10.00		6
	P	-	And and a second	-	-	contrast had at	datase 10	· automic contrast	- and the second	1000			16
		-	increase.	-	-	Instant feet Al	interio .	Accession of	institut .				1
	10	A COLUMN T				manati inti di	personal distance of the second secon	and the second s	Tanks				. 6
		-	Conditional Condit	-	and a	Concession, etc.	Take in	deres (-	and the second		1000	- 6
	÷	-	10.0	-	- 100	Second Second	Name of Street, or other	Salaria a	of lots	1946		1000	. 6
8		-	PROFESSION.	-		-		Real Property lies and		121-0			.0
¢		1000	danish setting	10.000	-	concertion in	And and the other states of the other states o	terrer comprise.	and income.	And other Designation			- 6
		and and	-	-	(Income)	and a	1000	-			Adda and		-
			-	-	in the second second								

Serial Number Tracking

Directory View